



Our range of solar bollards are used in various applications; for safety and security lighting, to ensure compliance with the Australian Standard P4 lighting code for walkways and paths, or to simply provide ambient lighting in gardens. The stylish, modern design and the robust anti corrosive aluminum construction of the Altaires solar bollard makes it ideal for use in architectural and commercial pathway projects. The light source is from 25 6000k, cool white high intensity Cree LEDs, giving the fixture approx 320lm output. The 4.8v, 5.6w solar panel and 4.2v /1500mah inbuilt lithium battery, combine to enable the bollard to illuminate for 10-12 hours each night. This bollard comes in a satin black powdercoat finish. The bollard is suitable for buried and bolt down installation and has a built-in PIR sensor.

FEATURES

Commercial grade solar lighting

Requires 10-12 hrs charge prior to use

10 - 12 hours light output

Attractive modern design


Bolt down installation

Ideal for illuminating paths and walkways

Auto PIR operation*

High quality inbuilt lithium battery

Warranty: 3 year warranty for faulty workmanship or component failure not influenced by external means



Specifications

Finish	Powdercoat satin black
Charge time	12 hours
CCT	6000K (cool white)
Bollard Size	800H x 190W x 172Dmm
Brightness	Approx. 320 lumen output
Solar Panel	4.8V 140mA 5.6watt
Solar Panel Size	150H x 170Wmm
Light Source	30 high intensity LEDs
Battery	4.2V/1500mA rechargeable battery
Material	Aluminium, glass diuser
SKU	SOLB015